

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	961.9	23.1	14.3	22.7	26.5	25.0	30.4	35.3	92.7	129.4	232.3	442.6	685.2	1,273.7	2,036.5	2,803.4	3,293.5	3,680.0	3,893.3	-
	口腔・咽頭	C00-C14	28.3	0.0	0.0	0.0	0.0	2.1	0.0	2.0	9.1	10.3	13.8	25.9	37.0	64.9	56.8	79.3	80.4	71.4	50.0	-
	食道	C15	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.6	20.4	33.3	73.7	85.1	122.4	126.1	100.0	50.0	-
	胃	C16	153.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.5	13.2	20.0	57.4	98.1	175.4	332.4	460.3	593.5	668.6	573.3	-
	大腸（結腸・直腸）	C18-C20	129.7	0.0	0.0	0.0	0.0	0.0	4.3	2.0	21.8	23.5	50.8	72.2	129.6	205.3	283.8	393.1	365.2	417.1	486.7	-
	結腸	C18	75.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.3	10.3	23.1	35.2	61.1	103.5	158.1	217.2	243.5	260.0	353.3	-
	直腸	C19-C20	54.4	0.0	0.0	0.0	0.0	0.0	4.3	0.0	14.5	13.2	27.7	37.0	68.5	101.8	125.7	175.9	121.7	157.1	133.3	-
	肝および肝内胆管	C22	52.1	2.6	0.0	0.0	0.0	2.1	0.0	0.0	3.6	5.9	23.1	22.2	42.6	61.4	87.8	144.8	193.5	217.1	233.3	-
	胆のう・胆管	C23-C24	19.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	3.1	7.4	7.4	15.8	37.8	25.9	91.3	97.1	136.7	-
	膵臓	C25	39.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	12.3	16.7	38.9	66.7	82.4	125.9	115.2	137.1	156.7	-
	喉頭	C32	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	7.4	14.0	13.5	20.7	30.4	31.4	30.0	-
	肺	C33-C34	150.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.5	7.7	63.0	87.0	182.5	327.0	465.5	543.5	574.3	743.3	-
	皮膚	C43-C44	22.9	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.8	0.0	9.2	7.4	5.6	7.0	31.1	46.6	82.6	102.9	223.3	-
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.4	6.5	2.9	0.0	-
	前立腺	C61	156.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	27.8	57.4	184.2	364.9	527.6	619.6	708.6	570.0	-
	膀胱	C67	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	11.1	13.0	24.6	55.4	74.1	93.5	117.1	163.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	17.6	23.1	35.2	27.8	63.2	82.4	81.0	100.0	102.9	113.3	-
	脳・中枢神経系	C70-C72	5.5	2.6	2.4	0.0	4.1	4.2	0.0	2.0	1.8	5.9	3.1	0.0	5.6	10.5	9.5	10.3	13.0	5.7	20.0	-
	甲状腺	C73	8.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	7.3	11.8	16.9	11.1	5.6	7.0	21.6	15.5	8.7	8.6	10.0	-
	悪性リンパ腫	C81-C85 C96	37.9	5.1	2.4	2.3	2.0	4.2	6.5	0.0	14.5	14.7	10.8	22.2	42.6	42.1	87.8	93.1	97.8	131.4	143.3	-
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.5	3.7	5.6	8.8	12.2	13.8	13.0	60.0	36.7	-
	白血病	C91-C95	13.8	7.7	7.1	13.6	8.2	4.2	8.7	7.8	1.8	7.4	6.2	11.1	14.8	24.6	21.6	17.2	26.1	34.3	40.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	645.2	18.9	15.0	14.6	13.0	37.5	88.9	76.5	194.4	283.8	458.5	532.1	641.1	800.0	1,103.8	1,243.9	1,422.8	1,575.0	1,748.6	-
	口腔・咽頭	C00-C14	11.1	0.0	0.0	0.0	0.0	2.1	0.0	0.0	3.7	1.5	4.6	10.7	10.7	18.6	16.5	18.2	29.8	34.6	28.6	-
	食道	C15	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.8	7.1	10.2	17.7	10.6	14.0	21.2	7.1	-
	胃	C16	65.6	0.0	0.0	0.0	0.0	2.1	2.2	2.0	11.1	5.9	23.1	25.0	33.9	62.7	111.4	157.6	189.5	211.5	202.9	-
	大腸（結腸・直腸）	C18-C20	103.7	0.0	0.0	0.0	0.0	0.0	4.4	9.8	20.4	16.2	41.5	51.8	80.4	144.1	182.3	234.8	224.6	269.2	351.4	-
	結腸	C18	73.9	0.0	0.0	0.0	0.0	0.0	2.2	5.9	13.0	13.2	24.6	32.1	46.4	110.2	129.1	159.1	149.1	205.8	268.6	-
	直腸	C19-C20	29.9	0.0	0.0	0.0	0.0	0.0	2.2	3.9	7.4	2.9	16.9	19.6	33.9	33.9	53.2	75.8	75.4	63.5	82.9	-
	肝および肝内胆管	C22	22.6	2.7	0.0	0.0	0.0	0.0	2.2	0.0	1.9	2.9	1.5	3.6	7.1	13.6	31.6	48.5	64.9	80.8	97.1	-
	胆のう・胆管	C23-C24	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.1	8.9	5.4	3.4	16.5	18.2	45.6	50.0	111.4	-
	膵臓	C25	30.6	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.9	2.9	4.6	5.4	16.1	18.6	51.9	51.5	91.2	111.5	125.7	-
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	3.8	4.5	3.5	0.0	0.0	-
	肺	C33-C34	64.6	0.0	0.0	0.0	0.0	0.0	4.4	2.0	0.0	10.3	16.9	21.4	46.4	71.2	125.3	147.0	189.5	200.0	187.1	-
	皮膚	C43-C44	18.9	0.0	0.0	0.0	0.0	0.0	2.2	3.9	3.7	4.4	3.1	8.9	5.4	8.5	19.0	27.3	36.8	67.3	107.1	-
	乳房	C50	134.1	0.0	0.0	0.0	0.0	4.2	8.9	13.7	53.7	133.8	220.0	182.1	194.6	211.9	264.6	271.2	235.1	175.0	148.6	-
	子宮	C53-C55	38.2	0.0	0.0	0.0	2.2	2.1	15.6	7.8	46.3	32.4	56.9	78.6	71.4	79.7	63.3	47.0	35.1	44.2	38.6	-
	子宮頸部	C53	12.8	0.0	0.0	0.0	2.2	0.0	11.1	5.9	33.3	13.2	20.0	16.1	12.5	23.7	21.5	13.6	10.5	9.6	15.7	-
	子宮体部	C54	24.9	0.0	0.0	0.0	0.0	2.1	4.4	2.0	13.0	19.1	36.9	62.5	58.9	55.9	40.5	33.3	24.6	28.8	21.4	-
	卵巣	C56	18.7	0.0	0.0	2.4	4.3	14.6	4.4	5.9	7.4	19.1	24.6	25.0	26.8	32.2	34.2	25.8	26.3	26.9	22.9	-
	膀胱	C67	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.6	7.1	6.8	10.1	15.2	29.8	48.1	47.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.1	0.0	2.5	0.0	2.2	0.0	0.0	0.0	3.7	2.9	7.7	10.7	19.6	18.6	21.5	28.8	36.8	26.9	57.1	-
	脳・中枢神経系	C70-C72	4.2	8.1	5.0	0.0	0.0	0.0	4.4	0.0	1.9	0.0	1.5	3.6	1.8	3.4	8.9	10.6	7.0	3.8	11.4	-
	甲状腺	C73	23.2	0.0	0.0	4.9	0.0	8.3	24.4	19.6	18.5	25.0	32.3	37.5	32.1	39.0	31.6	31.8	35.1	17.3	25.7	-
	悪性リンパ腫	C81-C85 C96	24.1	0.0	0.0	2.4	0.0	0.0	2.2	2.0	1.9	13.2	3.1	17.9	25.0	30.5	45.6	42.4	56.1	78.8	64.3	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.1	3.4	10.1	9.1	21.1	25.0	12.9	-
	白血病	C91-C95	8.3	2.7	2.5	4.9	0.0	0.0	4.4	5.9	3.7	4.4	6.2	10.7	12.5	6.8	7.6	9.1	17.5	21.2	20.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	797.4	21.1	14.6	18.8	20.0	31.3	59.3	55.9	143.1	206.6	345.4	488.2	662.7	1,032.8	1,554.9	1,974.2	2,258.3	2,421.8	2,393.0	-
	口腔・咽頭	C00-C14	19.3	0.0	0.0	0.0	0.0	2.1	0.0	1.0	6.4	5.9	9.2	18.2	23.6	41.4	35.9	46.8	52.4	49.4	35.0	-
	食道	C15	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.1	10.9	20.0	41.4	50.3	62.9	64.1	52.9	20.0	-
	胃	C16	107.6	0.0	0.0	0.0	0.0	1.0	1.1	2.0	8.3	9.6	21.5	40.9	65.5	118.1	218.3	299.2	369.9	395.4	314.0	-
	大腸（結腸・直腸）	C18-C20	116.2	0.0	0.0	0.0	0.0	0.0	4.4	5.9	21.1	19.9	46.2	61.8	104.5	174.1	231.4	308.9	287.4	328.7	392.0	-
	結腸	C18	74.6	0.0	0.0	0.0	0.0	0.0	1.1	3.9	10.1	11.8	23.8	33.6	53.6	106.9	143.1	186.3	191.3	227.6	294.0	-
	直腸	C19-C20	41.6	0.0	0.0	0.0	0.0	0.0	3.3	2.0	11.0	8.1	22.3	28.2	50.9	67.2	88.2	122.6	96.1	101.1	98.0	-
	肝および肝内胆管	C22	36.8	2.6	0.0	0.0	0.0	1.0	1.1	0.0	2.8	4.4	12.3	12.7	24.5	37.1	58.8	93.5	122.3	135.6	138.0	-
	胆のう・胆管	C23-C24	18.2	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	0.0	3.1	8.2	6.4	9.5	26.8	21.8	66.0	69.0	119.0	-
	膵臓	C25	34.8	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.9	2.9	8.5	10.9	27.3	42.2	66.7	86.3	101.9	121.8	135.0	-
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.6	6.9	8.5	12.1	15.5	12.6	9.0	-
	肺	C33-C34	105.9	0.0	0.0	0.0	0.0	0.0	2.2	1.0	1.8	5.9	12.3	41.8	66.4	125.9	222.9	296.0	347.6	350.6	354.0	-
	皮膚	C43-C44	20.8	0.0	0.0	0.0	0.0	1.0	1.1	2.0	2.8	2.2	6.2	8.2	5.5	7.8	24.8	36.3	57.3	81.6	142.0	-
	乳房	C50	70.1	0.0	0.0	0.0	0.0	2.1	4.4	6.9	26.6	66.9	110.0	92.7	100.0	107.8	136.6	146.0	133.0	105.7	104.0	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.3	7.3	10.0	15.5	32.0	42.7	58.3	75.9	82.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	25.0	0.0	1.2	0.0	1.1	0.0	0.0	0.0	6.4	10.3	15.4	22.7	23.6	40.5	51.0	53.2	65.0	57.5	74.0	-
	脳・中枢神経系	C70-C72	4.8	5.3	3.7	0.0	2.1	2.1	2.2	1.0	1.8	2.9	2.3	1.8	3.6	6.9	9.2	10.5	9.7	4.6	14.0	-
	甲状腺	C73	15.9	0.0	0.0	2.4	0.0	4.2	13.2	10.8	12.8	18.4	24.6	24.5	19.1	23.3	26.8	24.2	23.3	13.8	21.0	-
	悪性リンパ腫	C81-C85 C96	30.8	2.6	1.2	2.4	1.1	2.1	4.4	1.0	8.3	14.0	6.9	20.0	33.6	36.2	66.0	66.9	74.8	100.0	89.0	-
	多発性骨髄腫	C88-C90	6.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.8	3.6	6.4	6.0	11.1	11.3	17.5	39.1	20.0	-
	白血病	C91-C95	10.9	5.3	4.9	9.4	4.2	2.1	6.6	6.9	2.8	5.9	6.2	10.9	13.6	15.5	14.4	12.9	21.4	26.4	26.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計